

WE OFFER FREE UPDATE SERVICES FOR ONE YEAR

SASINSTITUTE

Exam A00-211_V4

SAS Base Programming for SAS (r) 9

Total Questions: 246

- QUESTION NO : 1

The SAS data set SASUSER.HOUSES contains a variable PRICE which has been assigned a permanent label of "Asking Price". Which SAS program temporarily replaces the label "Asking Price" with the label "Sale Price"

in the output?

- A. `proc print data = sasuser.houses; label price = "Sale Price"; run;`
- B. `proc print data = sasuser.houses label; label price "Sale Price"; run;`
- C. `proc print data = sasuser.houses label; label price = "Sale Price"; run;`
- D. `proc print data = sasuser.houses; price = "Sale Price"; run;`

Answer: C

Explanation

real answer.

- QUESTION NO : 2

The following SAS program is submitted:

```
data work.empsalary;  
set work.people (in = inemp)  
work.money (in = insal);  
if insal and inemp;  
run;
```

The SAS data set WORKPEOPLE has 5 observations, and the data set WORKMONEY has 7 observations. How many observations will the data set WORK.EMPSALARY contain?

- A. 0
- B. 5
- C. 7
- D. 12

Answer: A
Explanation

- QUESTION NO : 3

The following SAS program is submitted:

```
data work.accounting;  
set work.dept1 work.dept2;  
jobcode = 'FA1';  
length jobcode $ 8;  
run;
```

A character variable named JOBCODE is contained in both the WORK.DEPT1 and WORK.DEPT2 SAS data sets. The variable JOBCODE has a length of 5 in the WORK.DEPT1 data set and a length of 7 in the WORK.DEPT2 data set. What is the length of the variable JOBCODE in the output data set?

- A. 3
- B. 5
- C. 7
- D. 8

Answer: B
Explanation

- QUESTION NO : 4

Given the SAS data set SASDATA TWO:
SASDATA TWO
XY

The following SAS program is submitted:

```
data sasuser.one two sasdata.three;  
set sasdata two;  
if x = 5 then output sasuser.one;  
else output sasdata two;  
run;
```

What is the result?

- A. data set SASUSER.ONE has 5 observations
data set SASUSER.TWO has 5 observations
data set WORK.OTHER has 3 observations
- B. data set SASUSER.ONE has 2 observations
data set SASUSER.TWO has 2 observations
data set WORK.OTHER has 1 observations
- C. data set SASUSER.ONE has 2 observations
data set SASUSER.TWO has 2 observations
data set WORK.OTHER has 5 observations
- D. No data sets are output.

The DATA step fails execution due to syntax errors.

Answer: A

Explanation

The following SAS program is submitted:

```
footnote1 `Sales Report for Last Month';  
footnote2 `Selected Products Only';  
footnote3 `All Regions';  
footnote4 `All Figures in Thousands of Dollars';  
proc print data = sasuser.shoes;  
footnote2 `All Products';  
run;
```

Which footnote(s) is/are displayed in the report?

- A. All Products
- B. Sales Report for Last Month All Products
- C. All Products All Regions All Figures in Thousands of Dollars
- D. Sales Report for Last Month All Products All Regions All Figures in Thousands of Dollars

Answer: B

Explanation

appropriate answer.

TO DOWNLOAD THE LATWST MOST UP-TO-DATE Q & A OF THIS EXAM
PLEASE CLICK ON DOWNLOAD NOW

[DOWNLOAD NOW](#)

WE OFFER FREE UPDATE SERVICES FOR ONE YEAR