

WE OFFER FREE UPDATE SERVICES FOR ONE YEAR

LPI

Exam 101-350

**LPI Level 1 Exam 101, Junior Level Linux
Certification, Part 1 of 2**

Total Questions: 121

- QUESTION NO : 1

Which of the following commands will change all CR-LF pairs in an imported text file, `userlist.txt`, to Linux standard LF characters and store it as `newlist.txt`?

- A. `tr '\r\n' " " < userlist.txt > newlist.txt`
- B. `tr -c '\n\r' " " < newlist.txt > userlist.txt`
- C. `tr -d '\r' < userlist.txt > newlist.txt`
- D. `tr '\r' '\n' userlist.txt newlist.txt`
- E. `tr -s '^M' '^J' userlist.txt newlist.txt`

Answer: C

Section: GNU and Unix Commands

- QUESTION NO : 2

What command will print a list of usernames (first column) and their corresponding user id (uid, third column)

from `/etc/passwd`?

- A. `cut -d: -f1,3 /etc/passwd`
- B. `chop -c 1,3 /etc/passwd`
- C. `tac 1-3 /etc/passwd`
- D. `fmt -u /etc/passwd`

Answer: A

Section: GNU and Unix Commands

- QUESTION NO : 3

What is the default action of the split command on an input file?

- A. It will break the file into new files of 1,024 byte pieces each.
- B. It will break the file into new files of 1,000 line pieces each.
- C. It will break the file into new files of 1,024 kilobyte pieces each.
- D. It will break the file into new files that are no more than 5% of the size of the original file.

Answer: B

Section: GNU and Unix Commands

- QUESTION NO : 4

Which of the following commands can be used to create a new file that is 100kB in size?

- A. dd
- B. file
- C. mkfile
- D. touch

Answer: A

Section: GNU and Unix Commands

- QUESTION NO : 5

When piping the output of find to the xargs command, what option to find is useful if the filenames have spaces in them?

- A. -rep-space
- B. -print0
- C. -nospace
- D. -ignore-space

Answer: B

Section: GNU and Unix Commands

100% fit answer.

TO DOWNLOAD THE LATWST MOST UP-TO-DATE Q & A OF THIS EXAM
PLEASE CLICK ON DOWNLOAD NOW

[DOWNLOAD NOW](#)